

Species	States Where Sensitive (a)				Forests Where Species is Known (K) or Suspected (S) to Occur (b)														Comments
	MT	ID	ND	SD	B/D	BRT	CLW	CUS	DPG	FLAT	GAL	HEL	IPNF	KOOT	L&C	LOLO	NEZ		
BIRDS																			
American Peregrine Falcon (<i>Falco peregrinus anatum</i>)	X	X	X	X		K	K		K		K	K	K	K	K	K	K	S2 MT, S1 ID, S1 ND, and SX SD,	
Baird's Sparrow (<i>Ammodramus bairdii</i>)			X	X				K	K									Is listed as an S2 for SD, SU for ND, and S3 for MT	
Black-backed woodpecker	X	X				K	K	K	K		K	K	K	K	K	K	K	S3 in MT and ID	
Black Swift (<i>Cypseloides niger</i>)		X											K				S	S1 in ID, colonial nester with few known nesting sites.	
Blue-Gray Gnatcatcher (<i>Polioptila caerulea</i>)	X							K										Is an S1 in MT and SD, South end of Priors in MT, does not occur on FS in SD.	
Burrowing Owl (<i>Athene cunicularia</i>)	X		X	X				K	K						S			S3 MT and SD, and SU ND, but all indicate probable/possible downward trend.	
Common Loon (<i>Gavia immer</i>)	X	X								K			K	K		K		S1, S2 in MT and ID.	
Flammulated Owl (<i>Otus flammeolus</i>)	X	X				K	K	K		K	K	K	K	K	S	K	K	S3 in MT and ID but both indicate that its more limited than the rank. S1 in SD but not on FS	
Greater Prairie Chicken (<i>Tympanuchus cupido</i>)			X						K									S2 in ND	
Greater Sage-Grouse (<i>Centrocercus urophasianus</i>)	X		X	X		K		S	K						S			S4 in MT, but indictes that a declining population, especially in the Dillion area. Concern expressed by ND and SD, they need to revisit rank.	
Harlequin Duck (<i>Histrionicus histrionicus</i>)	X	X				K		K	K		K	K	S	K	K	K	K	S2 in MT and S1 in ID	
Loggerhead Shrike (<i>Lanius ludovicianus</i>)			X	X					K	K								Both SD and ND indicate a sp of concern, they need to revisit rank. Is listed as an S4 for MT	
Long-Billed Curlew (<i>Numenius americanus</i>)			X	X				K	K									S2 in ND and S3 in SD; need to validate status.	
Mountain Quail (<i>Oreortyx pictus</i>)		X															K	S2 in ID.	
Pygmy Nuthatch (<i>Sitta pygmaea</i>)		X						K					K				K	S2, S3 in ID and SD, Does not occur on USFS lands in SD.	

[illegible]

Species	States Where Sensitive (a)				Forests Where Species is Known (K) or Suspected (S) to Occur (b)														Comments
	MT	ID	ND	SD	B/D	BRT	CLW	CUS	DPG	FLAT	GAL	HEL	IPNF	KOOT	L&C	LOLO	NEZ		
AMPHIBIANS																			
Coeur d'Alene Salamander (<i>Plethodon idahoensis</i>)	X	X					K	K						K	K		K	K	S2 in MT and S3 in ID. Need to recheck the rank for ID.
Great Plains Toad (<i>Bufo cognatus</i>)	X								S										S3 in MT. Extensive surveys on the Custer did not produce observations. Probable reduction in occurrence/range. Should review rank.
Northern Leopard Frog (<i>Rana pipiens</i>)	X					S	S		K		S	K	K		K	K	S		S1 in western and S3 in eastern MT. Not a spp of concern for ND; S3 in ID.
Plains Spadefoot (<i>Spea bombifrons</i>)	X								S				S						S3 in MT. Is a very rare spp and intense surveys on the Custer did not produce observations. Probable reduction in occurrence/range. Should review rank.
Western Toad (<i>Bufo boreas</i>)	X	X				K	K	K	K		K	K	K	K	K	K	K	K	S3 in MT and S4 in ID, but both indicate that the rank may be incorrect, loss of breeding sites is ongoing.
REPTILES																			
Greater Short-horned Lizard (<i>Phrynosoma hernandesi</i>)	X								K						K				S3 in MT; reduction in range likely since the 50's and the 70's. Probably should be an S4 or S2.
Milk Snake (<i>Lampropeltis triangulum</i>)	X								K										S2 in MT, but some indications that it may be more common with no evidence of range reduction.
Ringneck Snake (<i>Diadophis Punctatus</i>)		X						S										S	S1, probably limited occurrence on USFS lands in Hells Canyon.
Western Hognose Snake (<i>Heterodon nasicus</i>)	X								K										S3 in MT; reduction in range possible/likely.
INSECTS																			
Arogos Skipper (<i>Atrytone arogos iowa</i>)			X							K									Rank for ND needs to be reviewed.

Species	States Where Sensitive (a)				Forests Where Species is Known (K) or Suspected (S) to Occur (b)														Comments
	MT	ID	ND	SD	B/D	BRT	CLW	CUS	DPG	FLAT	GAL	HEL	IPNF	KOOT	L&C	LOLO	NEZ		
Broad-winged Skipper (<i>Poanes viator</i>)			X							K								S2 for ND and SD, not a concern for FS lands in SD.	
Dakota Skipper (<i>Hesperia dacotae</i>)			X	X						K								S2 in ND and SD.	
Dion Skipper (<i>Fuphyes dion</i>)			X							K								S1 in ND	
Mulberry Wing (<i>poanes massasoit</i>)			X							K								S2 in ND and S1 in SD, but not a concern for FS lands in SD.	
Ottoo Skipper (<i>Hesperia ottoe</i>)			X	X						K								S2 in SD, but SD indicates limited concern. Need ND to revisit rank.	
Powesheik Skipper (<i>Oarisma powesheik</i>)			X	X						K								S2 in SD; need ND to revisit their rank.	
Regal Fritillary (<i>Speyeria idalia</i>)			X							K								Listed as S2 for ND and S3 for SD	
Tawny Crescent (<i>Phyciodes batessi</i>)			X							K								Listed as an S2 for SD and S3 for ND.	

(a) Species are listed as Sensitive by State. The State where a species is listed as Sensitive is indicated by an "X" in the State/species column. A species identified as Sensitive within a State, will be considered as Sensitive on all Units within the State where it occurs, unless described otherwise.

(b) National Forest (Grasslands) where a species is known or suspected to occur, within States where a species is listed as Sensitive, are identified by shading and either a known "K" or suspected "S" in the Forest/species column